





GATEWAY USA COLLECTION




SPECTRUM MIST
48020-0000




SPECTRUM EGGSHELL
48018-0000




SPECTRUM SAND
48019-0000



SPECTRUM ALMOND
48082-0000




SPECTRUM SESAME
48084-0000



SPECTRUM DOVE
48032-0000




SPECTRUM MUSHROOM
48031-0000



SPECTRUM CARIBOU
48083-0000




SPECTRUM SIERRA
48028-0000




SPECTRUM DAFFODIL
48024-0000




SPECTRUM KIWI
48023-0000




SPECTRUM AZTEC
48090-0000



SPECTRUM PEACOCK
48081-0000




SPECTRUM GRAPHITE
48030-0000




SPECTRUM CARBON
48085-0000



SPECTRUM INDIGO
48080-0000




SPECTRUM DENIM
48086-0000




CAST ROYAL
48113-0000




CAST PUMICE
48114-0000




CAST OCEAN
48103-0000




CAST CHARCOAL
40483-0001




CAST LAUREL
48110-0000



CAST CITRUS
48112-0000



CAST MOSS
48109-0000



CAST CORAL
48108-0000




CAST CURRANT
48115-0000



TRUSTED FOG 40524-0001



TRUSTED COAST 40524-0002

	STANDARDS	SPECTRUM	CAST	TRUSTED
COMPOSITION	100% Sunbrella Acrylic			
FINISH	Water-Repellent & Stain-Proof			
USEABLE WIDTH/CM	EN 1773	137		
WEIGHT	ISO 3801—g/sqm	215		
ROLL LENGTH	LM	60		
SPRAY TEST	ISO 4920—Class/5	5		
COLOUR FASTNESS UV INDOOR	ISO 105B02—Class/8	8		
COLOUR FASTNESS TO WEATHER OUTDOOR	ISO 105B04 1000 h—Class/5	5		
COLOUR FASTNESS FRY FRICTION	ISO 105X12 Class/5	5		
COLOUR FASTNESS WET FRICTION	ISO 105X12 CLASS/5	5		
CARE INSTRUCTIONS	    			



BREATHABLE
COMFORT



MOLD & MILDEW
RESISTANT



UV/FADE
RESISTANT



STAIN
RESISTANT



WATER
REPELLENT



RECOMMENDED AS AN
EFFECTIVE UV PROTECTANT



LIMITED WARRANTY



EXCLUSIVELY DISTRIBUTED BY
CANE FURNISHERS PVT. LTD.

www.caneindia.com

MADE IN USA